

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

ATTORNEY DOCKET NO. CONFIRMATION NO. APPLICATION NO. FILING DATE FIRST NAMED INVENTOR 09/891,798 06/26/2001 Debarag N. Banerjee US018086 1467 EXAMINER 24737 7590 09/12/2006 PHILIPS INTELLECTUAL PROPERTY & STANDARDS GESESSE, TILAHUN P.O. BOX 3001 ART UNIT PAPER NUMBER BRIARCLIFF MANOR, NY 10510 2618

DATE MAILED: 09/12/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Supplemental	Application No.	Applicant(s)  BANERJEE, DEBARAG N.	
Notice of Allowability	09/891,798		
Notice of Anomability	Examiner	Art Unit	
	Tilahun B Gesessse	2684	
The MAILING DATE of this communication appearable sering allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOR of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. <b>THiS</b>
1. This communication is responsive to 11/4/04.			
2. X The allowed claim(s) is/are 1-3,6,9-16,19 and 22-34.			
3. $igotimes$ The drawings filed on <u>20 March 2002</u> are accepted by the E	Examiner.		
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some* c) None of the:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.  (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL.			
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal P. 6. Interview Summary Paper No./Mail Dat 7. Examiner's Amendn 8. Examiner's Stateme 9. Other	(PTO-413), e nent/Comment	ŕ

Application/Control Number: 09/891,798 Page 2

Art Unit: 2618

## **DETAILED ACTION**

1. This is in response to applicant's amendment and response filed November 4, 2004, in which claims 4-5,7-8,17-18, and 20-21 have been canceled and claims 1-3,6,9-16,19, and 22-34 are pending.

2. After further search and thorough examination of the present application and in view of applicant amendment and response, claims 1-3,6,9-16,19,22-34 are found to be in condition for allowance.

## Allowable Subject Matter

3. The following is an examiner's statement of reasons for allowance: Jalali et al (US 6,154,659) teaches the symbol energy to noise density is estimated over a specified duration and the estimate compares to a target Es/No value and if the measured Es/No is greater than target and radiotelephone sends a power down command over a received power control signaling channel to the base station (abstract).

On the other hand, the present application specifically teaches a first circuit coupled to the demodulator for receiving the demodulated PCB, the first circuit determining a noise variation of the demodulated PCB from the perpendicular noise component; a second circuit coupled to the demodulator and the first circuit, the second circuit providing an estimate of the power value of the PCB by eliminating the noise variance of the perpendicular noise component from the demodulated PCB, and an estimator coupled to the first circuit and the second circuit, the estimator calculating the

ratio of the power value estimate and the noise variance. These limitations, in conjunction with all other limitation of the independent claim, have not been disclosed, taught or made obvious over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tilahun B Gesesse whose telephone number is 571-272-7879. The examiner can normally be reached on flex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on 571-272-7882.

The Central FAX Number will change to 571-273-8300. This new Central FAX Number is the result of relocating the Central FAX server to the Office's Alexandria, Virginia campus.

CENTRALIZED DELIVERY POLICY: For patent related correspondence, hand carry deliveries must be made to the Customer Service Window (now located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314), and facsimile transmissions must be sent to the Central FAX number, unless an

Application/Control Number: 09/891,798 Page 4

Art Unit: 2618

exception applies.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TILAHUN GESÉSSE